

## Open End Podger



## Ring Podger



## Slogging Ring



## Ratchet Podgers



Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size
<b>METRIC</b>		<b>METRIC</b>		<b>METRIC</b>		<b>METRIC</b>	
OPM 414	14	PRM 414	14	SFM 427	27	RRP1317	13x17
OPM 417	17	PRM 417	17	SFM 430	30	RRP1719	17x19
OPM 418	18	PRM 419	19	SFM 432	32	RRP1824	18x24
OPM 419	19	PRM 422	22	SFM 436	36	RRP1921	19x21
OPM 422	22	PRM 424	24	SFM 441	41	RRP1924	19x24
OPM 424	24	PRM 427	27	SFM 446	46	RRP2427	24x27
OPM 427	27	PRM 430	30	SFM 450	50	RRP2430	24x30
OPM 430	30	PRM 432	32	SFM 455	55	RRP2732	27x32
OPM 432	32	PRM 436	36	SFM 460	60	RRP3032	30x32
OPM 436	36	PRM 441	41	SFM 465	65	RRP3236	32x36
OPM 441	41	PRM 446	46	SFM 470	70	RRP3641	36x41
OPM 446	46	PRM 450	50	SFM 475	75	RRP2124	Scaffold - Spanner Bent
OPM 450	50	PRM 455	55	SFM 480	80		
OPM 455	55	PRM 460	60	SFM 485	85		
OPM 460	60			SFM 490	90		
				SFM 495	95		
		<b>A/F Sizes</b>		SFM 500	100		
<b>A/F Sizes</b>		PRA 318	9/16"	SFM 505	105		
OPA 316	1/2"	PRA 320	5/8"	SFM 510	110		
OPA 318	9/16"	PRA 322	11/16"	SFM 515	115		
OPA 320	5/8"	PRA 324	3/4"				
OPA 322	11/16"	PRA 326	13/16"				
OPA 324	3/4"	PRA 328	7/8"	<b>A/F Sizes</b>			
OPA 326	13/16"	PRA 330	15/16"	SFA 234	1 1/16"		
OPA 328	7/8"	PRA 332	1"	SFA 236	1 1/8"		
OPA 330	15/16"	PRA 334	1 1/16"	SFA 238	1 3/16"	AHS 408	32-76 mm
OPA 332	1"	PRA 336	1 1/8"	SFA 240	1 1/4"	AHS 411	51-120mm
OPA 334	1 1/16"	PRA 340	1 1/4"	SFA 242	1 5/16"		
OPA 336	1 1/8"	PRA 342	1 5/16"	SFA 244	1 3/8"		
OPA 338	1 3/16"	PRA 346	1 7/16"	SFA 246	1 7/16"		
OPA 340	1 1/4"	PRA 348	1 1/2"	SFA 248	1 1/2"		
OPA 342	1 5/16"	PRA 352	1 5/8"	SFA 252	1 5/8"		
OPA 346	1 7/16"	PRA 354	1 11/16"	SFA 254	1 11/16"		
OPA 348	1 1/2"	PRA 356	1 3/4"	SFA 256	1 3/4"		
OPA 352	1 5/8"	PRA 358	1 13/16"	SFA 258	1 13/16"		
OPA 354	1 11/16"	PRA 360	1 7/8"	SFA 260	1 7/8"		
OPA 358	1 13/16"	PRA 364	2"	SFA 264	2"		
OPA 360	1 7/8"	PRA 366	2 1/16"	SFA 266	2 1/16"		
OPA 364	2"	PRA 370	2 3/16"	SFA 270	2 3/16"		
OPA 366	2 1/16"	PRA 372	2 1/4"	SFA 272	2 1/4"		
OPA 370	2 3/16"	PRA 376	2 3/8"	SFA 274	2 5/16"		
OPA 372	2 1/4"			SFA 276	2 3/8"		
OPA 376	2 3/8	<b>WHITW.</b>		SFA 278	2 7/16"		
		PRW 204	1/4"W	SFA 280	2 1/2"		
<b>WHITW.</b>		PRW 205	5/16"W	SFA 282	2 9/16"		
OPW 204	1/4"W	PRW 206	3/8"W	SFA 284	2 5/8"		
OPW 205	5/16"W	PRW 207	7/16"W	SFA 288	2 3/4"		
OPW 206	3/8"W	PRW 208	1/2"W	SFA 292	2 7/8"		
OPW 207	7/16"W	PRW 209	9/16"W	SFA 294	2 15/16"		
OPW 208	1/2"W	PRW 210	5/8"W	SFA 296	3"		
OPW 209	9/16"W	PRW 211	11/16"W	SFA 299	3 1/8"		
OPW 210	5/8"W	PRW 212	3/4"W	SFA308	3 3/8"		
OPW 211	11/16"W	PRW 213	13/16"W	SFA 312	3 1/2"		
OPW 212	3/4"W	PRW 214	7/8"W	SFA 320	3 3/4"		
OPW 213	13/16"W	PRW 215	15/16"W	SFA 324	3 7/8"		
OPW 214	7/8"W	PRW 216	1"W	SFA 332	4 1/8"		
OPW 215	15/16"W	PRW 218	1 1/8"W	SFA 336	4 1/4"		
OPW 216	1"W	PRW 220	1 1/4"W	SFA 344	4 1/2"		
OPW 218	1 1/8"W	PRW 222	1 3/8"W	SFA 348	4 5/8"		
OPW 220	1 1/4"W	PRW 224	1 1/2"W				
OPW 222	1 3/8"W						
OPW 224	1 1/2"W						

## Hook Wrenches

AHS 408	32-76 mm
AHS 411	51-120mm

## Ignition Wrench

## Sets

TKO 760W	0-10BA
----------	--------

WHITWORTH SLOGGING WRENCHES - AVAILABLE ON APPLICATION



International Tool and Equipment Company


**exclusive**  
AUSTRALASIAN AGENT

## NEW PRODUCT

# Introducing the Nielsen Scaffold Hammer

The Nielsen range of scaffold hammers feature a round tapered podger ideal for most scaffold systems.

Hot forged from high quality steel, precisely machined, heat treated and bright plated the Nielsen brand is synonymous with strength and performance. Length 310mm.



Call ITEC and ask for Nielsen Scaffold hammer

Phone: + (61) 7 3376 7466

Fax: + (61) 7 3376 7997

Email: [info@iteconline.com.au](mailto:info@iteconline.com.au)


[www.iteconline.com.au](http://www.iteconline.com.au)

[iteconline.com.au](http://iteconline.com.au)



**When only the best will do.**

Need quality tools built to last?



Call ITEC, exclusive distributors of King Dick, Momento and Nielsen tools.



International Tool and Equipment Company

exclusive  
AUSTRALASIAN AGENT

## NEW PRODUCT

# King Dick Flat Ring Slogging Wrenches

Deep aperture, high performance, flat ring slogging spanners. Hot forged from 40 CrV Chrome-Vanadium steel, precisely machined, heat treated and bright plated. Deep ring bi-hexagon for enhanced access. High quality material and manufacture provides optimum strength and torque capability.



Call ITEC and ask for King Dick

Phone: + (61) 7 3376 7466

Fax: + (61) 7 3376 7997

Email: [info@iteconline.com.au](mailto:info@iteconline.com.au)

[www.iteconline.com.au](http://www.iteconline.com.au)

[iteconline.com.au](http://iteconline.com.au)



## When only the best will do.

SPECIFICATIONS

Part No.	Metric	Part No.	A/F	Part No.	Whit	Dimensions			Weight		
						A	B	C	GMS		
FLTM224	24mm	FLTA230	15/16"	FLTW209	9/16"	23	42	178	560		
		FLTA232	1"			23	42	180	570		
FLTM227	27mm	FLTA234	1 1/16"	FLTW210	5/8"	23	44	182	580		
		FLTM230	30mm	FLTA236	1 1/8"	FLTW211	11/16"	23	48	185	590
FLTM232	32mm	FLTA240	1 1/4"	FLTW212	3/4"	28	48	196	760		
		FLTA242	1 5/16"			28	52	198	770		
FLTM236	36mm	FLTA244	1 3/8"	FLTW213	13/16"	28	54	200	790		
		FLTM238	38mm			FLTA246	1 7/16"	FLTW214	7/8"		
FLTM241	41mm	FLTA252	1 5/8"	FLTW215	15/16"	35	60	255	1700		
		FLTM246	46mm			FLTA254	1 11/16"	FLTW216	1"	35	65
FLTM250	50mm	FLTA258	1 13/16"	FLTW220	1 1/4"	FLTW218	1 1/8"	35	68	259	1760
		FLTA260	1 7/8"			35	70	260	1800		
		FLTA264	2"			35	70	260	1800		
		FLTA266	2 1/16"			42	73	270	2300		
FLTM255	55mm	FLTA270	2 3/16"	FLTW222	1 3/8"	42	77	278	2340		
		FLTM260	60mm			FLTA272	2 1/4"	42	82	280	2400
FLTM265	65mm	FLTA276	2 3/8"	FLTW224	1 1/2"	48	92	322	3800		
		FLTA278	2 7/16"			FLTW226	1 5/8"				
		FLTA282	2 9/16"					48	100	326	3900
		FLTA284	2 5/8"					48	104	328	3900
FLTM270	70mm	FLTA294	2 15/16"	FLTW228	1 3/4"	48	104	328	3900		
FLTM275	75mm	FLTA296	3"	FLTW230	1 7/8"	55	108	357	5000		
		FLTM280	80mm	FLTA299	3 1/8"	FLTW232	2"	55	114	360	